



# **ALUMINATOR**



- All Aluminum Drain
  - Available 3" 6" w/ ProSeal Rubber Seal
  - 2", 2.5, 3.5, & 4.5" Supplied w/ Tape Seal
  - 8" Supplied with ProMaxx Seal
  - 16" Diameter Flange
  - 12" Long Outlet Length
  - Options Available



Same Features as the Aluminator, but w/ Pro Dome & Coated Ring

- Pro Dome Aluminum Powder Coated w/ Removal Lid
- Powder Coated Aluminum Ring

# ALUMINATOR EXTENDED LENGTH



Same Features as the **Aluminator Drain** 

 Drain Outlet Length 22" (Plus 2" w/ Seal)

# **ALUMINUM GUTTER DRAIN**



- Aluminum Body
- 3" & 4" Sizes
- 8" x 8" Flange
- 12" Long
- 5" x 5" SS Clamping Ring
- Available w/ ProSeal or Tape Seal

# **ALUMINUM FAST FLOW**

**ALUMINUM ALUMINATOR PRO** 



- Aluminum Body
- Plastic Ring & Dome
- 2" 10" Sizes
- Tape Seal
- 16" Diameter Flange
- 12" Long
- Options Available

# **ECONOMY ALUMINUM**



- Aluminum Body
- 7.5" Aluminum Dome
- NO CLAMPING RING
- NO TAPE SEAL
- Options Available

# COPPER

# **COPPER-TITE**

- Copper Body
- Sizes 2" 12"
- Plastic Ring & Dome
- 14"/18" Diameter Flange
- 9" Long Outlet
- Tape Seal
- Options Available

# **PROLINER®**



MARNING

 Copper 18" Diameter Flange

Lead Outlet 12" Long

- Sizes 2" 6"
- Plastic Ring & Dome
- Expanding Tool
- Options Available

# STAINLESS STEEL





- Stainless Steel Body. Ring & Dome
- Sizes 3" 6"
- 16" Diameter Flange
- 12" Long
- Options Available

# **GALVANIZED CUSTOM**

# **GALVANIZED GUTTER DRAINS**



- Yankee **Downspout Endcap**
- 3" Box Bev LH
- 3" Box Straight
- 3" Box Bev RH
- 3" Flat Straight
- 3" Shovel Spout
- 3" Straight Shoe Box

# CUSTOM


# **SPECIAL DRAINS**



Marathon is able to make that custom Special Drain needed.



Give us a call to discuss!



# PLASTIC (Rubber, PVC & TPO)





- Thermoplastic Rubber
- Sizes 2" 6"
- Compatible w/ BUR Modified & EPDM
  - Plastic Strainer
  - Scupper Drains Also Available
  - Also Available in PVC & TPO

# The ONLY 8" Mechanical 8" ProMaxx ALUMINATOR RETROFIT ROOF DRAIN Heavy Duty Aluminum Drain with ProMaxx Seal SCAN FOR ALL FEATURES 800,828,8424 • MARATHONDRAINS.COM

# **ALUMINUM**

# ALUMINUM FAST FLOW



- Available in 2", 3" & 4
- Constructed of **Heavy Duty Spun** Aluminum
- Can Be Supplied w/ Clamping Ring

# **COPPER**

# **CENTURY**




 $HHV_{\Lambda}$ 

44111

- Copper Body
- 14" (Economy) 18" (Premium) Flange Diameters
- 9" Long Outlet
- Plastic Ring & Dome
- Options Available

# SIDE OUTLET COPPER



- 14" & 18" Flange Diameter
- Available in 2" 4"
- Options Available

# **PVC**

# **MARAPAK+**



- Supplied with Metal Clamping Ring, Metal Underdeck Clamp
- Supplied with Plastic Dome





# **MARAPAK**



Supplied with ABS Clamping Ring, ABS Underdeck Clamp & Plastic Dome





# **MARADRAIN**



**Newly Designed:** 

- PVC Drain Body
- **Reinforced Gussets**
- Plastic Clamping Ring & Strainer





# **FAST PAK**



- PVC & Cast Iron Body
- UV Stabilized for Long Life
- Flexible Rubber Expansion Coupling
- Roof Top Mounting for Easy Installation
- Options Available

# **ECONOMY PVC DRAIN**



- 4" Direct Connect No Hub PVC Body
- 8-1/2" x 8-1/2" Flange
- 4-3/8"x 4-3/8" Flat Plastic Grate
- Options Available

# **OPTIONS:**

# **PVC OR TPO COATED**

- Can be Applied to All Aluminum & Copper Drains
- Drain Flange is PVC or TPO Coated which allows PVC or TPO Membrane to be Heat Welded to Drain Flange

- OVERFLOW RING
   Can be Supplied to all Aluminum, Copper, PVC & Cast Iron Drains
- Available in Aluminum or Cast Iron

- Variety of Strainers Available on Aluminum, Copper, PVC & Cast Iron Drains
- Aluminum, Cast Iron, Low Profile and Plastic

# **CAST PAK**



- Cast Iron Body
- Sizes 3" 10"
- Complete Kit
- Options Available

# **CAST IRON SMALL AREA - RD-200**



- Cast Iron Body
- Sizes 2" 4"
- Metal Ring & Plastic Dome
- **Options Available**
- Also Available in **PVC Body**

# XL AREA - RD-300



- Cast Iron Body
- Sizes 3" 10"
- Metal Ring & Plastic Dome
- Options Available

# **RD-700 DUAL OVERFLOW DRAIN**



- Reliable Drainage & Overflow
- **Secured Ductile** Iron Dome
- No Hub Outlets
- Cast Iron for Durability

# **RD-27 SCUPPER - RD-270**



- Cast Iron
- Sizes 2" 6"
- Angled Grate
- Options Available

# RD-250 - ONE PIECE

RD-260 - COMBO OVERFLOW



- Sizes 2" 4"
- Main Drain & Overflow Drain
- Cast Iron Ring & Dome
- Options Available

# **RD-280 - ONE PIECE**



- Cast Iron
- Sizes 2" 4"
- Cast Iron Ring & Dome
- Options Available



# RD-280-SO SIDE OUTLET

Cast Iron

& Dome

- Cast Iron Ring
- Options Available



- Cast Iron
- Sizes 2" 4"
- Main Drain & Overflow Drain
- Galvanized Pan 12" x 24"
- Cast Iron Ring & Plastic Dome



 Underdeck Clamps Options Available

## **ALUMINUM** LC INSULVENT Aluminum Aluminum Aluminum One Way or Two Way One Way or Two Way One Way or Two Way Removes Moisture & Removes Moisture & Removes Moisture & Pressure Pressure Pressure • 4" • 6" 8" Vent Options - PVC Vent Options - PVC **Vent Options - PVC** or TPO Coated Flange or TPO Coated Flange or TPO Coated Flange **XLC SOL-A-VENT HIGH SECURITY** · IIIIII Aluminum Base Aluminum Aluminum Solar Powered One Way or Two Way Secures Plumbing Vent Removes Moisture & **Removes Moisture &** Stacks to Reduce Pressure Pressure Vandalism Vent Options - PVC 12" Vent Options - PVC or TPO Coated Flange Vent Options - PVC or TPO Coated Flange Commercial or or TPO Coated Flange **Residential Applications ROOF NEK** Water Tight Conduit System Easily Flashed with Roof Aluminum Base Standpipe Solvent Welded

# PLASTIC (HDPE, PVC & TPO) EX FLOW One Way or Two Way Locking, Vandal-Proof Available in EPDM, PVC TPO Bodies AWARNING Cancer and Reproductive Harm Reproductive Harm Rever PS Warning.ca.gov AWARNING Cancer and Rever PS Warning.ca.gov

**Coated Flange** 

PVC Hooded Outlet3 Cable OpeningsOptions Available

Vent Options - PVC or TPO

	PRODUCT SPECIFICATIONS	OVERALL HEIGHT		ASE OPENING WITH SULATION INSERT		FLANGE MATERIAL	RECOMMENDED SPACING
	ALUMINUM INSULVENTS	8 1/2 IN.   216MM	4 IN.   102MM	3 IN.   76MM	10 3/4 IN.   273MM	ALUMINUM	1 PER 1000 SQ, FT,   93M <sup>2</sup>
	LC VENT (LARGE CAPACITY)	8 1/2 IN.   216MM	8 IN.   203MM	6 IN.   152MM	13 IN,   330MM	ALUMINUM	1 PER 1500 SQ. FT.   139M <sup>2</sup>
I	XLC (EXTRA LARGE CAPACITY)	11 1/2 IN.   292MM	12 1/2 IN.   317MM	N/A	17 1/4 IN.   438MM	ALUMINUM	1 PER 2000 SQ. FT.   186M <sup>2</sup>
	MC VENT (MEDIUM CAPACITY)	9 1/2 IN.   241MM	6 1/2 IN.   165MM	5 3/8 IN.   136MM	10 IN.   254MM	ALUMINUM	1 PER 1500 SQ. FT.   139M <sup>2</sup>
	PRE VENT (LARGE CAPACITY)	9 IN.   229MM	10 1/4 IN.   254MM	N/A	14 3/4 IN.   375MM	PVC	1 PER 2000 SQ. FT.   186M <sup>2</sup>
	EX-FLOW INSULATION VENT	8 IN.   203MM	5 1/4 IN.   133MM	N/A	10 1/2 IN.   267MM	HDPE OR PVC	1 PER 1000 SQ. FT.   93M <sup>2</sup>
	M-105 INSULATION BREATHER	8 IN.   203MM	5 1/4 IN.   133MM	N/A	10 1/2 IN.   267MM	HDPE OR PVC	1 PER 1000 SQ. FT.   93M <sup>2</sup>

# **Breather & Vent General Installation Instructions:**

# General installation instructions for BUR:

- 1. Select a location over an insulation joint
- 2. Cut a 4" hole through felts & insulation (Make sure that the vapor barrier is no punctured)
- 3. Center the vent over the opening, making sure that the opening is free of debris and set in asphalt cement
- 4. Flash base flange with 2 ply's of felt and asphalt cement (Extend first ply 6" beyond flange and second 9")
- 5. Pour flood coat of asphalt to base of roof vent
- 6. For other roofing systems follow manufactures' specifications

# **Accessories**

# **MARABOOT**

- Aluminum Base
- EPDM Rubber Boot
- 1/4" to 1" Pipe Sizes
- SS Clamps Supplied
- 14" Diameter Flange
- 9" Tall
- Options Available



# UNIBOOT

- Aluminum Base EPDM Rubber Cap
- Stainless Steel Clamps
- Two Steel Bands
- 9-3/4" Tall
- 14" Flange
- 8" Diameter Stack
- 6-1/4" Aluminum Base 3" 7" Pipe Sizes

# PREMIUM DEKTITES



Highly Durable EPDM Cone & Base

Available In Many Sizes

 Edged with Flexible Aluminum Strip

# MARA-FLEX FLASHING



- Lead Flashing
- Available in Many Sizes
- 12" X 12" X 12" -2.5# Or 4#
- Lead Sheets Also Available
- Pitched Also Available

# **CLAMP POSTS**









- Josam Clamp Posts
- Available in 2-1/2" & 4" Long
- Qty 4 Posts & Screws per Kit

# **RUBBER COUPLINGS**



- Flexible
- 3/4" to 27"
- Leak-Proof
- Resistant to Chemicals & **Ultraviolet Rays**
- Stainless Steel Clamps

# SPECIALTY PRODUCTS

# **RD-230 - SIDE OUTLET**



- Cast Iron
- Sizes 2" 4"
- Cast Iron Ring
- Cast Nickel **Bronze Dome**
- IPS Threaded Outlet

# RD-240 - BOTTOM OUTLET



- Cast Iron
- Sizes 2" 4"
- Cast Iron Ring
- Cast Nickel **Bronze Dome**
- IPS Threaded Outlet

- **RD-680 VENT CAPS** 
  - Cast Iron Universal 2" - 4"
  - 6" & 8"

# **RD-940 - DOWNSPOUT NOZZLES**



- Options Available

 Cast Nickel Bronze Sizes 2" - 12" Available in No Hub, Threaded & Push On Downspout Covers & SS Bird Screen Also Available

**CAN'T FIND WHAT YOU NEED? JUST ASK US!** 

800.828.8424 • MARATHONDRAINS.COM

# **Drain Replacement Parts**

# **STRAINERS**



Wide Range of Replacement Styles & Sizes

- Plastic, Aluminum & Cast Iron
- Sizes from 5" to 18" in Diameter

# **ADJUSTABLE DRAIN GUARDS**



- Sized to Fit All Openings
   All Out Stance & Debrie
- Lock Out Stones & Debris
  - All Aluminum
  - Stainless Steel Hardware
  - Domes Available in 5", 8", 10", 13" and 18"
  - Options Available

# **RETRO RING & DOME**



- Aluminum & Cast Iron
- Versatile Replacement
- Maximum Drainage
- Bolt Down Security
- 6-1/2" to 11-3/4"
- V Channel Scallops



# **CLAMPING RINGS**

Wide Range of Replacement Styles & Sizes

- Plastic, Aluminum & Cast Iron
- Various Sizes

# Safety

# **SAFETY FALL PROTECTION**

- OSHA Approved
- Perimeter Warning& Guardrail Systems
- Temporary & Portable

# **SAFETY FALL PROTECTION**



Full Line of Safety
Fall Protection
Systems for All
Types of
Applications

# FALL ARREST HARNESS



Available in Various Sizes & Options

# **FALL ARREST HARNESS**



Available in 25' & 50'. This is a complete all-in-one kit for fall protection. It includes a harness, rope grab with a 2' energy absorber, anchorage connector and a 25' or 50' lifeline all housed in a 5 gallon storage pail. The kit is fully customizable with a variety of rope lengths and anchor options, and is ideal for nearly any roofing job.

# CAN'T FIND WHAT YOU NEED? JUST ASK US!

800.828.8424 MARATHONDRAINS.COM

# ON DECK EQUIPMENT **ROOF HATCH** Aluminum & Galvanized Roof Cutters Various Sizes Planers • Lids Mounted on 12" Sweepers Curb Roof Peelers Compression Springs Zinc Plated Steel Hardware Spreaders Cutter Blades Insulation **SEAM ROLLERS KETTLES 4 WHEEL CART** • 90 to 800 Gallon Various Sizes Available Capacities Silicone, Steel, Threaded, Ergonomic. Seam Probes, Penny Rollers & Stand-Up Rollers **CORE CUTTERS BENDING & FORMING TOOLS MISC. ITEMS Specialty Tool Drum Heaters** For HVAC - Folding Designed to Take Pipe Flashings **Tools & Hand Roof Test Cuts Easily** Seamers Available Slag Pushers & Efficiently. in Various Sizes Available in 2" & 3" **Lead Flashings & Sheets TRASH HOPPER & CHUTES GANG SLITTER Cuts Material** Remove Trash Effectively & Safely 30 to 16 Gauge 48" Wide Sheet Capacity Steel Knives • 115 Volts 1/3 HP Electric Motor

# CAN'T FIND WHAT YOU NEED? JUST ASK US!

800.828.8424 MARATHONDRAINS.COM



