



- ALUMINATOR
  - All Aluminum Drain • Available 3" - 6" w/ ProSeal Rubber Seal
  - 2", 2.5, 3.5, & 4.5" Supplied w/ Tape Seal
  - · 8" Supplied with ProMaxx Seal
  - 16" Diameter Flange
  - 12" Long Outlet Length
  - Options Available

#### **ALUMINUM FAST FLOW**



**ALUMINUM** ALUMINATOR PRO

Plastic Ring & Dome

Same Features as the

Aluminator, but w/

Pro Dome & Coated Ring

Pro Dome Aluminum

Powder Coated w/

Removal Lid

Powder Coated

Aluminum Ring

- 2" 10" Sizes
- Tape Seal
- 16" Diameter Flange
- 12" Long

#### ALUMINATOR EXTENDED LENGTH



Same Features as the **Aluminator Drain** 

 Drain Outlet Length 22" (Plus 2" w/ Seal)

#### **ALUMINUM GUTTER DRAIN**



- Aluminum Body
- 3" & 4" Sizes
- 8" x 8" Flange
- 12" Long
- 5" x 5" SS **Clamping Ring**
- Available w/ ProSeal or Tape Seal

- Aluminum Body

- Options Available

#### **ECONOMY ALUMINUM**



- Aluminum Body
- 7.5" Aluminum Dome
- NO CLAMPING RING
- NO TAPE SEAL
- Options Available

### **COPPER**

#### **COPPER-TITE**

- Copper Body
- Sizes 2" 12"
- Plastic Ring & Dome
- 14"/18" Diameter Flange
- 9" Long Outlet
- Tape Seal
- Options Available

#### **PROLINER®**



**∧** WARNING

- Lead Outlet 12" Long
- Copper 18" Diameter Flange
- Sizes 2" 6"
- Plastic Ring & Dome
- Expanding Tool
- Options Available

# STAINLESS STEEL

## **POSEIDON** Stainless Steel Body.



- Ring & Dome
- Sizes 3" 6"
- 16" Diameter Flange
- 12" Long
- Options Available

## **GALVANIZED CUSTOM**

#### **GALVANIZED GUTTER DRAINS**



- Yankee **Downspout Endcap**
- 3" Box Bev LH
- 3" Box Straight
- 3" Box Bev RH
- 3" Flat Straight
- 3" Shovel Spout
- 3" Straight Shoe Box

## **CUSTOM**


#### **SPECIAL DRAINS**



Marathon is able to make that custom Special Drain needed.







## PLASTIC (Rubber, PVC & TPO)

#### **DURA**



- Thermoplastic Rubber
- Sizes 2" 6"
- Compatible w/ BUR Modified & EPDM
  - Plastic Strainer
  - Scupper Drains Also Available
  - Also Available in **PVC & TPO**

# The ONLY 3" Mechanical 8" ProMaxx ALUMINATOR RETROFIT ROOF DRAIN Heavy Duty Aluminum Drain with ProMaxx Seal SCAN FOR ALL FEATURES 800,828,8424 • MARATHONDRAINS.COM

## **ALUMINUM**

#### ALUMINUM FAST FLOW



- Available in 2", 3" & 4"
- Constructed of Heavy Duty Spun Aluminum
- Can Be Supplied w/ Clamping Ring

## **COPPER**

#### CENTURY



- Copper Body
- 14" (Economy) 18" (Premium) Flange Diameters
- 9" Long Outlet
- Plastic Ring & Dome
- Options Available

#### SIDE OUTLET COPPER



- 14" & 18" Flange Diameter
- Available in 2" 4"
- Options Available


### **PVC**

#### **ENPOCO-PAK**

- PVC Body
- Sizes 2" 6"
- Supplied w/ Metal Clamping Ring & Plastic Dome
- Options Available




#### **ENPOCO-PAK ECONOMY**




Supplied with ABS Clamping Ring & Plastic Dome



# **ECONOMY PVC DRAIN**





 4-3/8"x 4-3/8" Flat Plastic Grate

Options Available



#### **FAST PAK**

- PVC & Cast Iron Body
- UV Stabilized for Long Life
- Flexible Rubber **Expansion Coupling**
- Roof Top Mounting for Easy Installation

## **OPTIONS:**

PVC or TPO Coated
 Can be Applied to All Aluminum & Copper Drains
 Drain Flange is PVC or TPO Coated which allows PVC or TPO Membrane to be Heat Welded to Drain Flange

Overflow Ring • Can be Supplied to all Aluminum, Copper, PVC & Cast Iron Drains • Available in Aluminum or Cast Iron

Strainers • Variety of Strainers Available on Aluminum, Copper, PVC & Cast Iron Drains • Aluminum, Cast Iron, Low Profile and Plastic





- Options Available

## **CAST IRON**

- Cast Iron Body • Sizes 3" - 10"
- Complete Kit
- Options Available

#### **SMALL AREA - RD-200**



- Cast Iron Body
- Sizes 2" 4"
- Metal Ring & Plastic Dome
- Options Available
- Also Available in **PVC Body**

#### XL AREA - RD-300



- Cast Iron Body
- Sizes 3" 10"
- Metal Ring & Plastic Dome
- Options Available

#### **RD-700 DUAL OVERFLOW DRAIN**

**CAST PAK** 



- Reliable Drainage & Overflow
- **Secured Ductile** Iron Dome
- No Hub Outlets
- Cast Iron for Durability

### **RD-27 SCUPPER - RD-270**



- Cast Iron
- Sizes 2" 6"
- Angled Grate
- Options Available



#### RD-250 - ONE PIECE

**RD-260 - COMBO OVERFLOW** 

- Cast Iron
- Sizes 2" 4"
- Main Drain & Overflow Drain
- Cast Iron Ring & Dome
- Options Available

#### **RD-280 - ONE PIECE**



- Cast Iron
- Sizes 2" 4"
- Cast Iron Ring & Dome
- Options Available



#### **RD-280-SO SIDE OUTLET**

- Cast Iron
- Sizes 2" 4"
- Cast Iron Ring & Dome Options Available



- Cast Iron
- Sizes 2" 4"
- Main Drain & **Overflow Drain**
- Galvanized Pan 12" x 24"
- Underdeck Clamps Cast Iron Ring & Options Available **Plastic Dome**

#### **ALUMINUM** INSULVENT Aluminum Aluminum Aluminum One Way or Two Way One Way or Two Way One Way or Two Way Removes Moisture & Removes Moisture & Removes Moisture & Pressure Pressure Pressure • 4" • 6" 8" Vent Options - PVC Vent Options - PVC Vent Options - PVC or TPO Coated Flange or TPO Coated Flange or TPO Coated Flange **XLC SOL-A-VENT** HIGH SECURITY MAN. Aluminum Base Aluminum Aluminum Solar Powered One Way or Two Way Secures Plumbing Vent Removes Moisture & Removes Moisture & Stacks to Reduce Pressure Pressure Vandalism Vent Options - PVC 12" Vent Options - PVC or TPO Coated Flange **Vent Options - PVC** or TPO Coated Flange Commercial or or TPO Coated Flange Residential Applications **ROOF NEK** Water Tight Conduit System Easily Flashed with Roof Aluminum Base Standpipe Solvent Welded **PVC Hooded Outlet** 3 Cable Openings



Options Available

Vent Options - PVC or TPO

	PRODUCT SPECIFICATIONS	OVERALL HEIGHT		ASE OPENING WI NSULATION INSEF		FLANGE MATERIAL	RECOMMENDED SPACING
H	ALUMINUM INSULVENTS	8 1/2 IN.   216MM	4 IN.   102MM	3 IN.   76MM	10 3/4 IN.   273MM	ALUMINUM	1 PER 1000 SQ. FT.   93M <sup>2</sup>
	LC VENT (LARGE CAPACITY)	8 1/2 IN.   216MM	8 IN.   203MM	6 IN.   152MM	13 IN.   330MM	ALUMINUM	1 PER 1500 SQ. FT.   139M <sup>2</sup>
	XLC (EXTRA LARGE CAPACITY)	11 1/2 IN.   292MM	12 1/2 IN.   317MM	N/A	17 1/4 IN.   438MM	ALUMINUM	1 PER 2000 SQ. FT.   186M <sup>2</sup>
	MC VENT (MEDIUM CAPACITY)	9 1/2 IN.   241MM	6 1/2 IN.   165MM	5 3/8 IN.   136MM	10 IN.   254MM	ALUMINUM	1 PER 1500 SQ. FT.   139M <sup>2</sup>
	PRE VENT (LARGE CAPACITY)	9 IN.   229MM	10 1/4 IN.   254MM	N/A	14 3/4 IN.   375MM	PVC	1 PER 2000 SQ. FT.   186M <sup>2</sup>
	EX-FLOW INSULATION VENT	8 IN.   203MM	5 1/4 IN.   133MM	N/A	10 1/2 IN.   267MM	HDPE OR PVC	1 PER 1000 SQ. FT.   93M <sup>2</sup>
	M-105 INSULATION BREATHER	8 IN.   203MM	5 1/4 IN.   133MM	N/A	10 1/2 IN.   267MM	HDPE OR PVC	1 PER 1000 SQ. FT.   93M <sup>2</sup>

## **Breather & Vent General Installation Instructions:**

#### General installation instructions for BUR:

- 1. Select a location over an insulation joint
- 2. Cut a 4" hole through felts & insulation (Make sure that the vapor barrier is no punctured)
- 3. Center the vent over the opening, making sure that the opening is free of debris and set in asphalt cement
- 4. Flash base flange with 2 ply's of felt and asphalt cement (Extend first ply 6" beyond flange and second 9")
- 5. Pour flood coat of asphalt to base of roof vent
- 6. For other roofing systems follow manufactures' specifications

#### **MARABOOT**

- Aluminum Base
- EPDM Rubber Boot
- 1/4" to 1" Pipe Sizes
- SS Clamps Supplied
- 14" Diameter Flange
- 9" Tall
- Options Available



#### UNIBOOT

- Aluminum Base EPDM Rubber Cap
- Stainless Steel Clamps
- Two Steel Bands
- 9-3/4" Tall
- 14" Flange
- 8" Diameter Stack
- 6-1/4" Aluminum Base 3" 7" Pipe Sizes

#### PREMIUM DEKTITES



- Dektite Premium & Retrofit
- Flues On Metal Roofs
- Highly Durable EPDM Cone & Base
- Edged with Flexible Aluminum Strip

#### **MARA-FLEX FLASHING**



- Lead Flashing
- Available in Many Sizes
- 12" X 12" X 12" -2.5# Or 4#
- Lead Sheets Also Available
- Pitched Also Available

#### **CLAMP POSTS**







- Josam Clamp Posts
- Available in 2-1/2" & 4" Long
- Qty 4 Posts & Screws per Kit

#### **RUBBER COUPLINGS**



- Flexible
- 3/4" to 27"
- Leak-Proof
- Resistant to Chemicals & Ultraviolet Rays
- Stainless Steel Clamps

## **SPECIALTY PRODUCTS**

#### **RD-230 - SIDE OUTLET**



- Cast Iron
- Sizes 2" 4"
- Cast Iron Ring
- Cast Nickel **Bronze Dome**
- IPS Threaded Outlet

#### **RD-240 - BOTTOM OUTLET**



- Cast Iron
- Sizes 2" 4"
- Cast Iron Ring
- Cast Nickel **Bronze Dome**
- IPS Threaded Outlet

- **RD-680 VENT CAPS** 
  - Cast Iron
  - Universal 2" 4"
  - 6" & 8"

#### **RD-940 - DOWNSPOUT NOZZLES**



- Cast Nickel Bronze
- Sizes 2" 12"
- Available in No Hub, Threaded & Push On
- Downspout Covers & SS Bird Screen Also Available
- Options Available

CAN'T FIND WHAT YOU NEED? JUST ASK US!

800.828.8424 • MARATHONDRAINS.COM

# **Drain Replacement Parts**

# STRAINERS



- Plastic, Aluminum & Cast Iron
- Sizes from 5" to 18" in Diameter

#### **ADJUSTABLE DRAIN GUARDS**



- Sized to Fit All OpeningsLock Out Stones & Debris
  - All Aluminum
  - Stainless Steel Hardware
  - Domes Available in 5", 8", 10", 13" and 18"
  - Options Available

#### **RETRO RING & DOME**



- Aluminum & Cast Iron
- Versatile Replacement
- Maximum Drainage
- Bolt Down Security
- 6-1/2" to 11-3/4"
- V Channel Scallops



#### **CLAMPING RINGS**

Wide Range of Replacement Styles & Sizes

- Plastic, Aluminum & Cast Iron
- Various Sizes

# Safety

#### **SAFETY FALL PROTECTION**

- OSHA Approved
- Perimeter Warning
   & Guardrail Systems
- Temporary & Portable

#### **SAFETY FALL PROTECTION**



Full Line of Safety
Fall Protection
Systems for All
Types of
Applications

#### **FALL ARREST HARNESS**



Available in Various Sizes & Options

#### **FALL ARREST HARNESS**



Available in 25' & 50'. This is a complete all-in-one kit for fall protection. It includes a harness, rope grab with a 2' energy absorber, anchorage connector and a 25' or 50' lifeline all housed in a 5 gallon storage pail. The kit is fully customizable with a variety of rope lengths and anchor options, and is ideal for nearly any roofing job.

# CAN'T FIND WHAT YOU NEED? JUST ASK US!

800.828.8424
MARATHONDRAINS.COM

#### ON DECK EQUIPMENT **ROOF HATCH** Aluminum & Galvanized Roof Cutters Various Sizes Planers Lids Mounted on 12" Sweepers Curb Roof Peelers Compression Springs Zinc Plated Steel Hardware Spreaders Cutter Blades Insulation **SEAM ROLLERS KETTLES 4 WHEEL CART** • 90 to 800 Gallon Various Sizes Available Capacities Silicone, Steel, Threaded, Ergonomic, Seam Probes, Penny Rollers & Stand-Up Rollers **CORE CUTTERS BENDING & FORMING TOOLS MISC. ITEMS Specialty Tool Drum Heaters** For HVAC - Folding Designed to Take Pipe Flashings **Tools & Hand Roof Test Cuts Easily** Seamers Available Slag Pushers & Efficiently. in Various Sizes Available in 2" & 3" **Lead Flashings & Sheets TRASH HOPPER & CHUTES GANG SLITTER** Cuts Material Remove Trash Effectively & Safely 30 to 16 Gauge 48" Wide Sheet Capacity Steel Knives 115 Volts 1/3 HP **Electric Motor**

# CAN'T FIND WHAT YOU NEED? JUST ASK US!

800.828.8424 MARATHONDRAINS.COM



