

When it rains, Marathon shines.

ROOFING Accessories & Equipment



Commercial Drain Specialists Drains + Vents • Drain Replacement Parts • Accessories • Equi

Equipment

38

800.828.8424 marathondrains.com

UNIVERSAL MARA-BOOT


Universal Mara-Boot provides a watertight permanent and maintenance free means for penetrating roof systems. The Mara-Boot is able to be used on all types of roof systems and



replaces using pitch pans. Made from EPDM rubber caps and spun aluminum base, each cap accommodates pipe sizes from 1-1/4'' to 2". Supplied with SS clamps and resistance to weathering, ozone, UV and extreme hot and cold temperatures.

Features

- EPDM Cap Made for Maximum Resistance to Weathering, Ozone, UV & Extreme Hot & Cold **Temperatures**
- Caps are Mechanically Sealed to Dual Beads on the Mara-Boot Aluminum Base & Grooves on the Inside of the EPDM Cap
- Provides a Permanent, Watertight & Maintenance Free Applications for Penetrating Roofs
- Each Cap Accommodates (2) 1/4", 1-1/2", 2" & (2) 3/8"-1/2", 3/4", 1" Pipe Sizes
- Supplied with (4) SS Clamps
- 14" Diameter Flange
- Standard 9" Total Height with Rubber Boot
- 8" Stack Diameter
- 6" Stack Height
- Standard Black Boot Available in White



UNIVERSAL **UNI-BOOT**

UNI-BOOT provides a permanent watertight and maintenance free means for penetrating roof systems. The UNI-BOOT is able to be used on all types of roof systems while eliminating the




need for pitch pans. Made from EPDM, rubber caps and spun aluminum base, the UNI-BOOT eliminates roof leaks from roof penetrations.

Features

- EPDM Black Cap Made for Maximum Resistance to Weathering, Ozone, UV & Extreme Hot & Cold **Temperatures**
- New Caps are Mechanically Sealed to Dual Beads on the Uni-Boot Aluminum Base & Grooves on the Inside of the EPDM Cap
- Provides Permanent, Watertight & а Maintenance Free Seal around Pipe.
- Stainless Steel Clamps Provided to Give Added Protection for Pipe Seal
- Each Cap Accommodates 1/4", 3-7" Pipe Sizes
- Two Steel Band Provided (3"-5" & 5"-7")
- 9-3/4" Tall with Rubber Boot, 14" Flange, 8" Diameter Stack & 6-1/4" Aluminum Base





DEKTITE® RETROFIT



Premium Roof flashing that is available in many sizes with a flexible cone, low profile design, bonded

aluminum flange and available to be painted to match floor color. EPDM will withstand temperature of -122 °F to 392 °F for intermittently temperatures. Silicone will withstand consent temperatures of -112 °F to 392 °F.

Features

- Premium Roof Flashing Available in Many Sizes with Flexible Cone
- Low Profile Design
- Bonded Aluminum Flange
- Can be Painted to Match Roof Color
- EPDM will Withstand Temperature of -122°F to 392°F for Intermittently Temperatures
- Silicone will Withstand Consent Temperatures of -112 $\,^{\circ}\text{F}$ to $^{\circ}\text{392}$ F

DEKTITES

Available in many sizes with a flexible cone, low profile design, bonded aluminum flange and available to be painted to match for color.



EPDM will withstand temperature of -122 °F to 392 °F for intermittently temperatures. Silicone will withstand consent temperatures of -112 °F to 392 °F

Features

- Fast & Efficient Installation Wraps Around Existing or Difficult to Access Pipes
- Snaps Together in Seconds
- The Built-in Crimp Means No Loose Clips or Rivets
- Grips Tight & Stays Tight Made from Quality Polymer Compound
- Our Base Makes Easy Work Aluminum Base Conforms to Roof with Ease
- Twenty Year Warranty




VC Coating Only

GALVANIZED GUTTER OUTLET/ CONNECTIONS

Galvanized Yankee Gutter Drains efficiently directs water from Yankee gutters to downspouts. Designed for durability and reliability and is perfect for enhancing traditional gutter systems.






MARA-FLEX


Quality roof flashings made of lead that are designed to meet building codes flashing requirements. Designed to fit all pitches of roofs and available in many sizes and full sheets



Features

- Quality Roof Flashings of Heavy Duty Material to Provide Reliable Long Life Performance
- The Standard Rippled Portion of the Flashing Outlet Offers an Accordion Action to Accommodate Variable Applications
- Designed to Ft All Pitches of Roof





Step 2

Fit lower side to

roof pitch by

raising and

dropping sharply

several times until

fit is correct.

Step 3 Ensure position is perpendicular and flange sits flush to roof.

Step 1 Install MARA-FLEX roof flashing over the vent pipe. Press down with enough force to fit the upper side to the roof pitch.

10" CAST IRON & ALUMINUM STRAINERS

This enhanced design has

been fully integrated into all

our drain lines utilizing this

strainer, providing superior

with today's industry standards.

water flow, increased durability, and a

more modern aesthetic that aligns



Features

- Increased Height for Better Drainage & Debris Clearance
- Engineered for Enhanced Durability, Superior Strength while Maintaining Lightweight Functionality
- Modernized Aesthetic Aligns Seamlessly with Other High-Quality Drain Products on the Market, Ensuring a Uniform & Professional Appearance
- New Size of 7" Tall & 10" Diameter
- Domes are Completely Redesigned to Precisely Match the Widely Recognized Aluminum & Cast Iron Domes, Reinforcing Consistency Across All Applications

STRAINERS

Offering a wide range of replacement styles & sizes of strainers.





- Plastic, Aluminum & Cast Iron
- Sizes from 5" to 18" in Diameter

CLAMPING RINGS



We offer a wide selection of replacement clamping ring styles and sizes from leading brands such as Marathon Roofing Products, Zurn, Josam, JR Smith, and Wade.



Features





- Plastic, Aluminum & Cast Iron
- Sizes from 5" to 18" in Diameter



VC Coating Only

RETRO RING & DOME

Versatile easy & quick replacement for broken or missing roof drains domes and rings. Fits three or four bolt patterns ranging from 6-1/2" to 11-3/4". V channel scallops openings on the ring



& dome allow for maximum drainage. Our Cast Iron Retrofit Ring & Dome is the only one available in the industry, weighing 21 lbs!!!

Features

- Aluminum & Cast Iron
- Versatile Replacement
- Maximum Drainage
- Bolt Down Security
- 6-1/2" to 11-3/4"
- V Channel Scallops





ADJUSTABLE DRAIN GUARDS

Sized to fit all drain openings, lock out stones & debris with two quick twists of the wrist. Prevent costly drain clogs for decades to come. Sturdy dome & hardware that withstands extreme conditions.



Features

- All Aluminum
- Stainless Steel Hardware
- Fits Drain Openings 2-1/2" to 8"
- Domes Available in 5", 8", 10", 13" & 18"
- Low Profile Dome Available
- Available in Stainless Steel



RD-940 OWNSPOUT

Cast nickel bronze downspout nozzle featuring a durable anchor flange, countersunk mounting holes for a flush installation. and multiple connection options including standard IPS threaded, no push-on fittings. hub, or Designed for efficient water discharge and long-lasting performance in commercial and industrial drainage systems.



Bronze




Plastic Downspout


Features

- IPS Threaded (Standard), No Hub or Push-On Connection to Match Drainage Conditions
- Designed with Anchor Flange Countersunk Mounting & Holes for Secure Installation
- · Cast Nickel Bronze Provides Long Life & Durability

Options/Accessories

- Stainless Steel Bird Screen
- No Hub
- Push-On Connection
- Bronze: Cast Nickel Bronze
- Silver: Aluminum
- Black: Plastic





RD-950 ISPOUT

Round fabricated downspout cover made from Type 304 stainless steel, featuring a robust securing flange and a




hinged perforated strainer for easy access and maintenance. Engineered for durability, corrosion resistance, and reliable debris protection in exterior drainage applications.


Features

- Stainless Steel
- Securing Flange
- Perforated Hinged Strainer

Options/Accessories

Vandal Proof





JOSAM CLAMP PO

Josam Style 410 roof drain clamps offer a great solution for securing your roof drains to various roof configurations and materials, including asphalt, EPDM, PVC, and **TPO** membranes

Features

- Available in 2-1/2" & 4" Long
- 4 Posts & Screws per Kit

Aluminum Wallflower Downspout

SAFETY EQUIPMENT

FALL PROTECTION

Our OSHA-approved perimeter warning and guardrail systems are designed to serve as a temporary and portable safety solution for a wide range of job sites. These systems offer essential protection for workers and equipment by clearly defining hazardous areas and preventing accidental access to zones that may present fall hazards or other safety risks. Easy to install, relocate, and remove, our perimeter safety solutions are ideal for construction projects, rooftop work, industrial maintenance, and any environment where temporary fall protection is critical. Built for durability and compliance, these systems help maintain a safe working environment while meeting OSHA standards.



SAFETY RAILS

We offer a comprehensive line of Safety Fall Protection Systems designed to meet the needs of all types of applications. Whether for construction sites, industrial settings, or commercial facilities, our solutions ensure the highest level of safety and compliance. Each system is engineered for durability, reliability, and ease of use, providing peace of mind for workers in elevated or potentially hazardous environments.

FALL ARREST HARNESS KIT

Available in 25' & 50', this complete all-in-one kit for fall protection, includes a harness, rope grab with a 2' energy absorber, anchorage connector & a 25' or 50' lifetime all housed in a 5 gallon storage pail. The kit is fully customizable with a variety of rope lengths & anchor option, ideal for any roofing job.







ROOFING ACCESSORIES & EQUIPMENT

HOT AIR TOOLS



Hot Air Tools for welding PVC membrane on all roofing applications. Many models are available based on your installation requirements.



INSULATION CARTS

Our insulation carts are engineered to streamline loading—whether on the ground or deck—with minimal operator effort. Built to carry heavy sheet goods like ISO board, plywood, or similar panels weighing several hundred pounds, they're available in both two-wheel and four-wheel configurations to suit any jobsite.

SEAM ROLLERS



Various sizes available, silicone, steel, threaded, ergonomic, seam probes, penny & stand-up rollers.

SPREADERS & ROLLERS



The Better Spreader makes adhered projects more efficient and contractors more profitable. This proven, simply quick adhesive dispenser has been designed to save you time and money.

STEEL ROLLERS

Steel rollers designed for use with adhesive-backed membranes, available in a variety of sizes to suit different applications.



Aluminum Slag Pusher to spread gravel evenly.

ROOF HATCHES



Available in aluminum & galvanized & in many sizes. Lids are mounted on 12" curb & standard with compression springs, zinc plated steel hardware & insulation in the cover and at the curb perimeter. Smoke hatches are also available.

TRASH CHUTES



Fast & a safe way to remove debris from the roof or other elevated areas. Welded $42'' \times 42''$ steel hopper constructed to withstand years of service. Trash chutes are 4 foot sections & are not affected by sunlight, moisture of chemical corrosion.

DRUM HEATERS



Thin, flexible electrical resistance heaters, easily wrapped and secured around drums, pails and tanks.

ROOF DRAIN MARKER >

Safely & reliably identify all your roof drain locations storm after storm, year after year. Universal fit, top mounts to all sizes & shaped covers. Impervious to fresh water & reversible with lock in feature.

ROOFING ACCESSORIES & EQUIPMENT

ON-DECK EQUIPMENT



Full line of on-deck equipment including roof cutters, planers, sweepers, roof peelers, as well as accessories for your equipment needs.



Specialty tool designed to take roof test cuts easily & efficiently. Available in 2" & 3"

SUPER SLITTER



Made to cut material from 30 to 16 guage with sheet capacity of 48" wide. Three pair of high carbon/high chrome steel knives. Powered by 115 volts 1/3 hp electric motor.

TENNSMITH



Full range of sheet metal tools including hand brakes, power shears, slip rolls, cleat benders, notchers and rotary. machines.





Kettles available in 90 to 800 gallon capacities—ideal for mixing, heating, and processing in commercial and





Durable 4-wheel cart designed for easy transport of materials, featuring a sturdy frame and smooth-rolling wheels for enhanced mobility and stability

WHEELBARROW



6 cubic foot, heavy duty professional grade wheelbarrow that comes standard with a steel tray, steel, handles, steel frame & a flat free tire.

